

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

dialogue manager stochastic model

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 1 - 10 of about 276,000 for **dialogue manager stochastic model**. (0.29 seconds)**[PS] Optimizing Dialogue Management with Reinforcement Learning ...**File Format: Adobe PostScript - [View as Text](#)

to-speech (TTS), database access, and **dialogue management**. NJFun uses the Watson. speech recognizer with **stochastic** language and understanding **models** trained ...  
[www.cs.pitt.edu/~litman/courses/cs3710/FinalJair-2.ps](http://www.cs.pitt.edu/~litman/courses/cs3710/FinalJair-2.ps) - [Similar pages](#)

**A STOCHASTIC APPROACH TO DIALOG MANAGEMENT** Lluís F. Hurtado, David ...

In this article, we present an approach to the development of a **stochastic dialog manager**. The **model** used by this **dialog manager** to generate its turns ...  
[ieeexplore.ieee.org/iel5/10480/33227/01566518.pdf?arnumber=1566518](http://ieeexplore.ieee.org/iel5/10480/33227/01566518.pdf?arnumber=1566518) - [Similar pages](#)

**Spoken Dialogue Management Using Hierarchical Reinforcement ...**

19 A Form-Based **Dialogue Manager** for Spoken Language Application. - Goddeau, Meng et al. - 1996 16 A **Stochastic Model** of Computer-Human Interaction for ...  
[citeseer.ist.psu.edu/741835.html](http://citeseer.ist.psu.edu/741835.html) - 35k - [Cached](#) - [Similar pages](#)

**[PDF] ADAPTIVE MULTIMODAL DIALOGUE MANAGEMENT BASED ON THE INFORMATION ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

State Update (ISU) approach to **dialogue management**, ..... **stochastic model** of human-machine interaction for. learning **dialog** strategies", IEEE Transactions ...  
[www.w3.org/2004/02/mmi-workshop/georgila-edinburgh.pdf](http://www.w3.org/2004/02/mmi-workshop/georgila-edinburgh.pdf) - [Similar pages](#)

**Language Understanding Using Two-Level Stochastic Models with POS ...**

Over the last few years, **stochastic models** have been widely used in ... This output constitutes the input to the **dialog manager**, which will generate the ...  
[www.springerlink.com/index/BP854LJR39PCFRKR.pdf](http://www.springerlink.com/index/BP854LJR39PCFRKR.pdf) - [Similar pages](#)

**[PDF] Optimizing Dialogue Management with Reinforcement Learning ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

speech TTS, database access, and **dialogue management**. NJFun uses the Watson speech recognizer with **stochastic** language and understanding **models** trained ...  
[www.eecs.umich.edu/~baveja/Papers/RLDSjair.pdf](http://www.eecs.umich.edu/~baveja/Papers/RLDSjair.pdf) - [Similar pages](#)

**[PDF] A stochastic model of human-machine interaction for learning ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

**dialog** system can be mapped to a **stochastic model** known as ..... **manager** in Europe. In 1996, he joined AT&T Laboratories—Research, Florham ...  
[ilk.uvt.nl/~antalb/tint/00817450.pdf](http://ilk.uvt.nl/~antalb/tint/00817450.pdf) - [Similar pages](#)

**A Data-Oriented Approach to Integrate Emotions in Adaptive ...**

**dialogue** flow. In order to achieve a higher degree of adaptability we propose a simplified **stochastic** approach to **model** the **dialogue manager's** behavior ...  
[portal.acm.org/ft\\_gateway.cfm?id=1216344&type=pdf](http://portal.acm.org/ft_gateway.cfm?id=1216344&type=pdf) - [Similar pages](#)

**[PDF] Spoken Dialogue Management Using Probabilistic Reasoning**File Format: PDF/Adobe Acrobat - [View as HTML](#)

dialogues must be able to perform reliably even with noisy and **stochastic** speech input. Recent research in **dialogue management** has ...

## Edit Saved Searches for User *dabebe*

Queries 21002 through 21051.

S #	Comment	Database	Query String
S21051	<input type="text"/>	PGPB,USPT	(markup ) and ( ((markup near4 format\$5 near4 dialog\$4 ) ) )
S21050	<input type="text"/>	PGPB,USPT	(markup near4 format\$5 near4 dialog\$4 )
S21049	<input type="text"/>	PGPB,USPT	(markup near4 format\$5 near4 dialog\$4 state)
S21048	<input type="text"/>	PGPB,USPT	((fratkina.in.) and (dialog) ) and ((markup near4 format\$5 near4 state) )
S21047	<input type="text"/>	PGPB,USPT	(markup near4 format\$5 near4 state)
S21046	<input type="text"/>	PGPB,USPT	(fratkina.in.) and (dialog)
S21045	<input type="text"/>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(probabilit\$4) same (dialog\$4 near2 state)
S21044	<input type="text"/>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(likelihood) and ( ((confidence same dialog\$4 near4 state and (dialog\$4 manager) ) )

S21043		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((past or previous) near2 (state)) and ( ((confidence same dialog\$4 near4 state and (dialog\$4 manager) ) )
S21042		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(confidence same dialog\$4 near4 state and (dialog\$4 manager)
S21041		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(confidence same dialog\$4 near4 state and (dialog\$4 manage)
S21040		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(dialog\$4 near4 stat near4 probabi\$6)
S21039		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(dialog\$4 near2 state) and ( ((statistic\$4 near4 model) and (dialog\$4 near3 manag\$4) ) )
S21038		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(statistic\$4 near4 model) and (dialog\$4 near3 manag\$4)
S21037		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(action) and ( ((20050055321.pn and (probabi\$5 or weight\$4) ) )
S21036		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(20050055321.pn.) and (probabi\$5 or weight\$4)
S21035		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(6,711,585.pn.)
S21034		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	( (((past or previous) near3 (dialog\$4)) and ( ((determin\$6 near4 dialog\$3 near3 stat\$4) ) ) ) ) and (706/\$4 or 704/\$4)
			( (((past or previous) near3

S21033		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(dialog\$4)) and ( ((determin\$6 near dialog\$3 near3 stat\$4) ) ) ) ) and (706/\$4)
S21032		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((past or previous) near3 (dialog\$4)) and ( ((determin\$6 near4 dialog\$3 near stat\$4) ) ) )
S21031		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((past or previous) near3 (dialog\$4)) and ( ((determin\$6 near4 dialog\$3 near stat\$4) ) ) ) AND @pd>20071221
S21030		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((past or previous) near3 (dialog\$4)) and ( ((determin\$6 near4 dialog\$3 near stat\$4) ) ) )
S21029		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(determin\$6 near4 dialog\$3 near3 stat\$4)
S21028		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(20040249638.pn.) and (computer)
S21027		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(probabi\$6 near4 dialog\$3 near3 stat\$4)
S21026		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(previous near4 dialogue) and ( ((stochasti\$6) and (( determin\$4 near4 dialogue near4 status) ) ) )
S21025		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(stochasti\$6) and ( (( determin\$4 near dialogue near4 status) ) ) )
S21024		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	( determin\$4 near4 dialogue near4 status)
			(model near4 determin\$4 near4